

```

/*****
/*  SPSS User Files are being provided for the convenience of analysts who  */
/*  may wish to use SPSS to analyze the MEPS data. However, users are      */
/*  cautioned that SPSS does not currently have the capability to produce  */
/*  appropriate standard errors for estimates from a survey with a complex */
/*  sample design like the Medical Expenditure Panel Survey (MEPS). The    */
/*  annual national probability sample of households selected for the MEPS  */
/*  is a subsample of those participating in the National Health Interview  */
/*  Survey (NHIS) for the previous calendar year. The NHIS, an ongoing     */
/*  general health survey of the civilian noninstitutionalized population,  */
/*  is conducted by the National Center for Health Statistics, Centers for  */
/*  Disease Control and Prevention. The NHIS sample design, and thus that  */
/*  of the MEPS, uses complex sampling techniques including                 */
/*  stratification, clustering, and differential sampling rates for the     */
/*  oversampling of selected subgroups of the population. Because of this  */
/*  sampling structure, software that accounts for this complex sample     */
/*  design must be used. Without the use of appropriate software that      */
/*  accounts for the complex sample design of the MEPS in conjunction with */
/*  the survey's sampling weights (reflecting the survey's sample         */
/*  selection probabilities and nonresponse and other adjustments), the     */
/*  estimated standard errors of survey point estimates will generally be  */
/*  underestimated, and, thus, the inferential conclusions in an analysis  */
/*  (descriptive or analytical) may be misleading. It is recommended that  */
/*  sample survey software be used to analyze the MEPS data. Software for  */
/*  analysis of complex survey data include, for example, SUDAAN (Research  */
/*  Triangle Institute), STATA (Stata Corporation), VPLX (U.S. Bureau of   */
/*  the Census), and WESVAR (Westat, Inc.). A more comprehensive summary  */
/*  of software for the analysis of data from surveys with complex sample  */
/*  designs can be accessed through the website for the American           */
/*  Statistical Association's Survey Research Methods Section. Users may    */
/*  also reference the Agency for Healthcare Research and Quality (AHRQ)   */
/*  web document "Computing Standard Errors for Medical Expenditure Panel  */
/*  Survey (MEPS) Estimates."                                              */
*****/

```

```

DATA LIST FILE="H110IF1.DAT"  /
    DUPERSID 1-8 (A)
    CONDIDX 9-20 (A)
    EVNTIDX 21-32 (A)
    CLNKIDX 33-56 (A)
    EVENTYPE 57-57
    PANEL 58-59 .
VARIABLE LABEL
    DUPERSID 'PERSON ID (DUID + PID)'
    CONDIDX 'CONDITION ID'
    EVNTIDX 'EVENT ID'
    CLNKIDX 'CLNK ID: CONDIDX + EVNTIDX'
    EVENTYPE 'TYPE OF EVENT CONDITION IS LINKED TO'
    PANEL 'PANEL NUMBER' .
VALUE LABELS
    EVENTYPE
        1 '1 MVIS'
        2 '2 OPAT'
        3 '3 EROM'
        4 '4 STAZ'
        5 '5 DVIS'
        6 '6 OMED'
        7 '7 HVIS'
        8 '8 PMED' /
    PANEL
        11 '11 PANEL 11'
        12 '12 PANEL 12' .
EXECUTE.

```